
The clinic results of Bicom 2000 bio-resonance device

Yuan Ze, M.D. Pediatrics, and Wang Haiyan, Pediatrics,
Central Hospital of Xi'an City, China

WHAT IS ALLERGY?

Allergy is an abnormally high sensitivity to certain substances, such as pollen, food, or micro-organisms. Common indications of allergy may include sneezing, itching, and skin rashes.

Common allergic diseases

1. Allergy of food
 - stomatitis
 - IBS
 - migraine
 - asthma ...
2. Allergy in respiratory tract
 - rhinitis
 - hay fever ...
3. Allergy in dermatology
 - eczema
 - urticaria
 - contact dermatitis
 - neurodermatitis
 - allergic purpura
4. Allergy in EENT
 - tympanitis
 - otalgia [ophthalmia]
 - allergic conjunctivitis ...
5. Other
 - Rheumatism ...

THE CLINIC THERAPY AND OBSERVATIONS OF BiCom 2000

Place: Pediatrics department,
Central hospital of Xi'an
Time: June 2003 — December 2004
(1 1/2, years)
No. of patients: 1639
Results: see Table at top of next page.



Central Hospital of Xi'an City

Judgment of the curative effectiveness

We judge the curative effect according to the improvement of clinical symptoms, and no recurrences within 6 month.

Recovery: Allergic symptoms disappear completely. No recurrences happen within 6 months after therapy ending.

Obviously effective: Allergic symptoms disappear completely. Recurrences happen after therapy ending, but with slight symptoms.

Effective: Allergic symptoms are relieved obviously, but recurrences happen after therapy ending.

Ineffective: There is no obvious relieving in allergic symptoms.

We have treated the allergic diseases with many kinds of medicines. We have not found an obviously effective treatment method until we used the Bicom 2000.

From the observations, we find out teen-age's recovery rate was higher than adult's and less

Name of disease	Total cases	Recovery	Obviously effective	Effective	In-effective	Recovery rate	Total effectiveness
Eczema	188	176	8	2	2	94%	97 %
Urticaria	353	266	42	30	15	75 %	87 %
Contact dermatitis	158	137	12	6	3	87%	94 %
Neurodermatitis	55	30	8	10	7	55 %	70 %
Sweating	183	160	10	12	1	87%	93 %
Allergic rhinitis	165	140	14	5	6	85%	94 %
Asthma	187	155	5	24	3	83 %	86 %
Polytwitching	146	120	20	2	4	68 %	80 %
Allergic conjunctivitis	80	66	10	2	2	83 %	95 %
Neurourethritis	125	103	16	2	3	82%	95 %

recurrences. As situation are different from Europe, so we made some change in therapy time, frequency, intensity.

The primary allergens are:

- milk
- egg
- sheep meat
- soybean
- household dust
- formaldehyde
- phenyl
- duck's feather
- seafood (fishmix1, fishmix2)
- peanut
- peach
- mosquito.

Of all the allergens, recovery rate in food is higher than other cases, and less recurrences. E. g. infant's eczema (< 8 months), recovery rate was 95 % after 2-5 therapy sessions.

Food allergen treatment steps in infants

1. Diagnosis (majority is milk)
2. Basic treatment Input cup: urine, 3 x 5 min
3. Progr. 400, 401 Input cup: urine Input: flex. electrode on affected skin area Output: modulation mat on back
4. Desensitization: progr. 977.

Contact dermatitis

Contact dermatitis' allergen is more complex, and mostly is a substance of cosmetics. We usually give sufferers 3-5 sessions. Progr. 970, 400, 401 Detoxification: progr. 970 Desensitization: progr. 963, 944, 998 About all the symptoms disappeared after 1-2 sessions.

Therapy steps in neurourethritis

- Basic: we choose 133 in first time
- Progr. 960 adjust autonomic nervous system disorder
- Progr. 911, 423 to calm down the nervous problem
- DMI
- Input cup: blood from both earlobes.

Papula

The main allergen of papula is mosquito.
We usually did 5-8 session treatment to them.
Progr. 933, 221, 970
Desensitization.
The recovery rate is 85 %

Allergic rhinitis

Allergic rhinitis' recurrence rate is the highest.
The main allergens in rhinitis are:

- formaldehyde
- grass
- catskin
- duck's feather.

And we usually give 10-20 treatments to sufferers, when allergen is grass, and they must take some medicine.

In the one and one half years, we find that cases, where allergen is pollen, are harder to treat than other cases (like where the actual stress is formaldehyde), and therapy time is longer with pollen.

Therapy steps in allergic rhinitis

- Basic
Detect and remove geopathy/scar block
 - Progr. 970,
Input: eye electrode over both eyes and quad. flex. electrode on thymus
Output: modulation mat on back
 - Progr. 945, 946, 947
Input cup: pollen
Output: modulation mat on back and eye electrode over both eyes, if necessary.
- THE FACTORS WHICH INFLUENCE
-
-

THE EFFECT OF BICOM

- 1 . Disease Different pathology and history.
- 2 . Patients Other medication or therapy before.
- 3 . Therapy place Electromagnetism and some other factors were disturbing the therapy.
- 4 . Operator
- 5 . Complementary therapy of alimentation Folacin vitamins with minerals.

THE PROCESS OF MY RECOGNITION OF BICOM

Disbelief— doubt — research — trust.

EXPERIENCE ON BICOM

1. Choose operator
 - studious
 - diligent
 - trust
 - wise
2. Study always
 - theory
 - practice
 - summarize.

NEW AREAS

We are carrying the clinic study in the following in the new areas:

- Polytwitching
- Autism
- Sweating
- Cardiac problems
- Neurorethritis.

Thanks for the great contribution made by the Bicom pioneer.

Thanks for this very precious chance given by Ms. Briigemann.